ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE ER REGULATORY CONTACT RECORD

Date/Time:

October 10, 2002/5:28PM

Site Contact(s):

Michael Bemski

Phone:

303-966-4090

Regulatory Contact:

David Kruchek

Phone:

303-692-3328

Agency:

Colorado Department of Public Health and Environment

Purpose of Contact:

Permission to backfill excavation of former hot spot at the southeast corner of

the former Building 663 slab

Discussion

This Contact Record is the follow-up to our telephone conversation of earlier today. After 3 attempts, sample results indicate all contamination associated with the former hot spot discovered under the southeast corner of the former Building 663 slab has been removed. Our discussion pondered why the contamination persisted from the slab to over 3 feet into the soil below and still had a sub-action level hit below 5 feet. Also unknown is why no lateral dispersion of the contamination had occurred. As the history of what happened to create the spill and how it was handled will remain unknown, the discussion served to raise the questions but there are no clear answers. The final sampling explored for contamination immediately under the former crack in the slab and the area adjacent. As no contamination was found to be at or above action levels of 50 pCi/g Pu, permission was given to backfill the excavation. The two samples with the highest results have been sent to an offsite lab for final confirmation alpha spectrometry. Should any significant deviation from the earlier results be noted, CDPHE will be contacted.

Contact Record Prepared By:

Michael Bemski

Required Distribution:

S. Bell, RFFO L. Brooks, K-H ESS

L. Butler, K-H RISS C. Deck, K-H Legal

R. DiSalvo, RFFO

S. Gunderson, CDPHE

J. Legare, RFFO

D. Mayo, K-H RISS

J. Mead, K-H ESS

S. Nesta, K-H RISS

K. North, K-H ESS

T. Rehder, USEPA

D. Shelton, K-H

C. Spreng, CDPHE

Additional Distribution

(choose names as applicable):

M. Broussard, K-H RISS

J. Hindman, CDPHE

G. Kleeman, USEPA

D. Kruchek, CDPHE

L. Norland, K-H RISS

A. Primrose, K-H RISS

E. Pottorff, CDPHE

S. Tower, DOE

Contact Record 6/20/02 Rev. 6/20/02

Page 1 of 1

